



ONAP Benchmark Project Progress

July 17th, 2019

Request for help

Whether or not to modify the hosts file in the appropriate container can be resolved?

```
App aaf-locate is waiting to start until aaf-service is ready
aaf-service is ready
Starting
2019-07-17 10:28:29,806 WARN [init] 2019-07-17T10:28:29.805+0000 INIT [init] Loading CADI Properties from /opt/app/osaaf/etc/org.osaaf.aaf.locate.props
2019-07-17 10:28:29,807 WARN [init] 2019-07-17T10:28:29.807+0000 INIT [init] Loading CADI Properties from /opt/app/osaaf/local/org.osaaf.aaf.props
2019-07-17 10:28:29,808 WARN [init] 2019-07-17T10:28:29.808+0000 INIT [init] Loading CADI Properties from /opt/app/osaaf/local/org.osaaf.aaf.location.props
2019-07-17 10:28:29,809 WARN [init] 2019-07-17T10:28:29.809+0000 INIT [init] Loading CADI Properties from /opt/app/osaaf/local/org.osaaf.aaf.cred.props
2019-07-17 10:28:29,859 WARN [init] 2019-07-17T10:28:29.859+0000 INIT [init] cadi_keyfile points to /opt/app/osaaf/local/org.osaaf.aaf.keyfile
2019-07-17 10:28:29,863 WARN [init] 2019-07-17T10:28:29.863+0000 INIT [init] Loading CADI Properties from /opt/app/osaaf/etc/org.osaaf.aaf.log4j.props
2019-07-17 10:28:29,864 WARN [init] 2019-07-17T10:28:29.864+0000 INIT [init] Loading CADI Properties from /opt/app/osaaf/etc/org.osaaf.aaf.orgs.props
2019-07-17 10:28:29,864 WARN [init] 2019-07-17T10:28:29.864+0000 INIT [init] Loading CADI Properties from /opt/app/osaaf/local/org.osaaf.aaf.cassandra.props
2019-07-17 10:28:29,865 WARN [init] 2019-07-17T10:28:29.865+0000 INIT [init] cadi_keyfile points to /opt/app/osaaf/local/org.osaaf.aaf.keyfile
2019-07-17 10:28:29,867 WARN [init] 2019-07-17T10:28:29.867+0000 INIT [init] cadi_keyfile points to /opt/app/osaaf/local/org.osaaf.aaf.keyfile
2019-07-17 10:28:29,872 WARN [init] 2019-07-17T10:28:29.872+0000 INIT [init] https.protocols set by cadi_protocols in CADI Properties
2019-07-17 10:28:29,872 WARN [init] 2019-07-17T10:28:29.872+0000 INIT [init] jdk.tls.client.protocols set from Default Protocols
2019-07-17 10:28:29,881 WARN [init] 2019-07-17T10:28:29.881+0000 INIT [init] AAF Root NS is org.osaaf.aaf, and AAF Company Root is org.osaaf
2019-07-17 10:28:29,916 WARN [init] 2019-07-17T10:28:29.916+0000 INIT [init] Cass Port = 9042
2019-07-17 10:28:29,916 WARN [init] 2019-07-17T10:28:29.916+0000 INIT [init] Cass User = cassandra
2019-07-17 10:28:29,916 WARN [init] 2019-07-17T10:28:29.916+0000 INIT [init] cadi_keyfile points to /opt/app/osaaf/local/org.osaaf.aaf.keyfile
2019-07-17 10:28:29,997 WARN [init] 2019-07-17T10:28:29.997+0000 INIT [init] Cass ResetExceptions = com.datastax.driver.core.exceptions.NoHostAvailableException:"no host was tried": "Connection has been closed"
2019-07-17 10:28:30,000 WARN [init] 2019-07-17T10:28:30.000+0000 INIT [init] Service Latitude,Longitude = 38.000000,-72.000000
2019-07-17 10:28:30,000 WARN [init] 2019-07-17T10:28:30.000+0000 INIT [init] Cass Clusters = 'aaf-cass.d'

java.lang.IllegalArgumentException: Failed to add contact point: aaf-cass.d
    at com.datastax.driver.core.Cluster$Builder.addContactPoint(Cluster.java:922)
    at com.datastax.driver.core.Cluster$Builder.addContactPoints(Cluster.java:942)
    at org.onap.aaf.auth.dao.CassAccess.cluster(CassAccess.java:146)
    at org.onap.aaf.auth.locate.AAF_Locate.<init>(AAF_Locate.java:102)
    at org.onap.aaf.auth.locate.AAF_Locate.main(AAF_Locate.java:244)
Caused by: java.net.UnknownHostException: aaf-cass.d: Name does not resolve
    at java.net.Inet4AddressImpl.lookupAllHostAddr(Native Method)
    at java.net.InetAddress$2.lookupAllHostAddr(InetAddress.java:929)
    at java.net.InetAddress.getAddressesFromNameService(InetAddress.java:1324)
    at java.net.InetAddress.getAllByName0(InetAddress.java:1277)
    at java.net.InetAddress.getAllByName(InetAddress.java:1193)
    at java.net.InetAddress.getAllByName(InetAddress.java:1127)
    at com.datastax.driver.core.Cluster$Builder.addContactPoint(Cluster.java:919)
    ... 4 more
```

Test Schedule

NO	TASK	SUB TASK	COMPLETION TIME PLANNED	ACTUAL COMPLETION TIME	PROGRESS	STATUS
1	Install ONAP Dublin		2019/7/24		90% of the components are up and running. The exception deployment is as follows : 1. aaf-aaf-cm 2. aaf-aaf-fs 3. aaf-aaf-locate 4. aaf-aaf-oauth 5. aaf-aaf-service 6. dmaap-dmaap-bc 7. dmaap-message-router-mirrmaker 8. oof-oof-has-api 9. oof-oof-has-data 10. oof-oof-has-reservation 11. oof-oof-has-solver	Open
2	Run throuth VFW usecase		2019/8/7		Not yet started	Open
3	Port the existing benchmark scripts to ONAP Dublin		2019/8/21		Not yet started	Open



ONAP

OPEN NETWORK AUTOMATION PLATFORM

Thanks