













Note: This page is only tracking the [code](#) impact on the involved projects





**Note:** color coding must be completed by M2.

- **Use case:** High level feature that ONAP is supposed to support. Require Arch review, Req review, Impacted PTL review, all has to be GO from all the PTLs.
- **Feature:** Functional change that touches multiple components (formerly Functional Requirement). Require Arch review, Req review, Impacted PTL review, all has to be GO from all the PTLs.
- **Spec:** Functional change that is touching **only a single project** (formerly Functional Requirement). Require PTL to decide GO/NO GO, single component impact.
- **Best Practice:** Design pattern recognized by the community. **Must** be followed by the **new code associated to new container(s)**. The best practice owners to present their best practice to the PTLs and then to the TSC to review/to approve as best practice.
- **Global requirement: Best Practice** that **must** be applied to **whole code base** during a particular release (formerly called TSC MUST HAVE). The best practice owners to present their **approved** best practices to the PTLs and then to the TSC to review/to approve as GR at M1.
- **POC - POC definition - Developer Wiki - Confluence ([onap.org](https://wiki.onap.org/))**

[illegible]

Spec (Insert link to REQ Jira issue)	AAI	CCSDK including CDS	CPS	DCAE	DMaaP	Holmes	MSB	Modeling	MultiCloud	ONAP CLI	OOM	OOF	UII	Po
 <a href="#">REQ-1044</a> - VNF LCM Support in SO <span>DONE</span>														
 <a href="#">REQ-1071</a> - CPS Enhancements for Rel J <span>IN PROGRESS</span>			X											
 <a href="#">REQ-1075</a> - Network Services without Perception for Users based on IBN <span>DONE</span>													X	
 <a href="#">REQ-1076</a> - CCVPN Jakarta Enhancements for Intent-based Cloud Leased Line and Closed-loop <span>DONE</span>	x	x		x									X	
 <a href="#">REQ-935</a> - Bulk PM / PM Data Control Improvements <span>DONE</span>				X										
 <a href="#">REQ-994</a> - Control Loop in TOSCA LCM improvement <span>DONE</span>														

Best Practices Candidates /GR (Insert link to REQ Jira issue)	Aproved by TSC	AAI	CCSDK including CDS	CPS	DCAE	DMaaP	Holmes	MSB	Modeling	MultiCloud	ONAP CLI	OOM	OOF
 <a href="#">REQ-399</a> - ONAP Projects dealing with GUI must provide GUI test suites <span>TO DO</span>	No	X	X		x		X	X					
 <a href="#">REQ-396</a> - Clearly split ONAP code and use case code <span>TO DO</span>	No	X	X								X	X	
 <a href="#">REQ-443</a> - CONTINUATI ON OF BEST PRACTICES BADGING SCORE IMPROVEMENTS FOR SILVER LEVEL <span>IN PROGRESS</span>	YES	X	X	X	X	X	X	X	X	X	X		X
 <a href="#">REQ-439</a> - CONTINUATI ON OF PACKAGES UPGRADES IN DIRECT DEPENDENCIES <span>IN PROGRESS</span>	YES	X	X	X	X	X	X	X	X	X	X	X	
 <a href="#">REQ-438</a> - COMPLETION OF JAVA LANGUAGE UPDATE (v8 v11) <span>IN PROGRESS</span>	YES	X	X		X (Extend exception for MOD /NiFi component s)	X  All but MR which is being deprecated					X		
 <a href="#">REQ-437</a> - COMPLETION OF PYTHON LANGUAGE UPDATE (v2.7 v3.x) <span>IN PROGRESS</span>	YES		X		X				X		X		

<div><div> REQ-760 - IPv4/IPv6 Dual Stack - Global Requirement (all code)</div><div>IN PROGRESS</div></div>	YES		X		X						X	
<div><div> REQ-1072 - Standardized logging fields</div><div>TO DO</div></div>	YES	X May not have resources	X	X (best effort based on resource availability)	X (best effort based on resource availability)	X May not have resources	X	X	X	X		X
<div><div> REQ-1073 - Using basic image from Integration</div><div>TO DO</div></div>	YES	X May not have resources	X		X	X May not have resources			X	X	X	X
<div><div> REQ-441 - LOGS MANAGEMENT - PHASE 1: COMMON PLACE FOR DATA</div><div>TO DO</div></div>	YES	X May not have resources	X		X	X May not have resources	X	X	X	X	X	

[illegible]