5G Use Case Meeting notes for Feb 13, 2020

Date

13 Feb 2020

Attendees

- Benjamin Cheung
- Borislav Glozman
- Bob Papa
- Sangeeta Nitin Bellara
- S. RicciJoanne Liu RudelDongho Kim
- Zu Qiang (Ericsson)-

Discussion items

TIME FOR THIS MEETING WILL BE 2PM UTC = 10AM EST (USA); 7 AM PST (USA)

Item	Who	Notes
Discus sion this week 30 Jan 2020	All in 5G U /C	Use Case WoW Process: ONAP Use Case / Requirements Teams Process Way of Working (WoW) 1. VES Spec updates - DCAE project next week to discuss how to proceed. Need to make sure it is one w/ the correct content. DRAFT 4. Alok G. is on medical leave, and Albino Pinho / Trevor Lovett is the current delegate. PM schema update needed. Security change. Trevor has sent out a review. CRs are posted. Does not include the Fault & CMNotify (will be in VES 7.2 which is in R7). Gerard Hynes pulling in VES experts. David Kinsey looking at Harmonization options. David Smith (ATT) Jean-Michel Corneley (Orange) to discuss options for Harmonization. Should happen before DCAE call. From Ericsson Oskar Malm has forwarded. Gerrit Review open for VES event listening & VES registration. Pulling these documents into READTHEDOCs: https://onap.readthedocs.io/en/latest/submodules/vnfrqts/requirements.git/docs/Chapter7/index.html . Re-reviewing the deltas from last Red the docs updates. Trevor going over comments. deltas from Dec 10, 2018. CMNotify NOT in version associated with R6. Gerrit Review: https://gerrit.onap.org/r/dashboard/self 2. New Use Case Template: Andy Mayer presented on new additions to Use Case Template: Use Case Tracking Template proposed for R7. If a U/C is extending from a Prior Release should we convert to new Template, or can we maintain. Use cases should to link to new req in the proposals. 3. R7 Requirements - Requirements S/C page: Requirements subcommittee R7 new requirements, currently proposals in R7: Guilin release - functional requirements proposed list

M4 All in M4 for R6 Deliverables DEADLINE: 05 Mar 2020 Deadli 5G U /C R6 Frankfurt Release: Frankfurt Milestone Status ne Delive rables Release Planning Page: Release Planning M1 Deliverables Checklist: Deliverables for Planning Milestone Checklist Template Deliverables by Milestone: Frankfurt Deliverables by Milestone (1) FUNCTIONALITY FREEZE -M2 MILESTONE: Functionality freeze No new visible functionality is to be added to the current ONAP release. A stable document describing the API is documented and available in wiki. Base set of impacts to VNF Requirements identified by use case/ project. (2) API & DATA MODEL FREEZE -M3 MILESTONE: API & data model freeze. Mark the end of API and Data Model change. API and Data Model are now Frozen. Any changes to the API must be brought to the knowledge of the TSC for review and approval. 50% of Functional Test Case are automated. (3) FUNCTIONAL TEST CASES -Functional Test Cases are defined & documented M2/M3 CHECKLIST: Release Planning (legacy) (1) Functionality freeze, no new visible functionality is to be added to the current ONAP release. (2) Functional Test Cases - Each Project team has defined & documented Functional Test Cases. (3) API Documented - A stable document describing the API is documented and available in wiki. (4) VNFReq - Base set of impacts to VNF Requirements identified by use case/ project. (5) Release Status - Update M2 scorecard Frankfurt Release Requirements API docs complete - Where? Data Models (e.g, JSON, YANG, Swagger, etc.) shared with Modeling/Community Architecture Review complete (if required) No Gerrit requests older than 36 hrs. Provide docker to integration testing for Wave1: oParent, PortalSDK OOM port list update Fix any Integration blocker - Daily status updates on integration blockers, Highest/High issues Review and plan resolution of any License scan, security issues **Update Frankfurt Risks**

(CONTINUOUS) - DOCUMENTATION - Documentation (Read the Docs) - M1 - M4

ACTION: Doc PTL Sofia Wallin - Ask Sofia to help w/ training. OPEN POINT.

ODoc TEAM meets at 8AM EDT USA on Thursdays. https://zoom.us/j/907176290

Use Case Page: https://docs.onap.org/en/dublin/submodules/integration.git/docs/docs_usecases.html

READ THE DOCS: https://onap.readthedocs.io/en/latest/index.html

Navigate to > <u>USER GUIDES</u> > <u>Verified USE CASES</u>

CONF All in ORAN/ONAP Plugfest held Thurs Dec 5, 2019 (AM EDT UTC-4 USA) at Rutgers WIN Lab (Brunswick NJ). **EREN** 5G U CES /C Official WIKI Site: https://wiki.o-ran-sc.org/x/egBv **DEMOS** RECORDING OF DEMOS PLUGFEST https://zoom.us/recording/play/jbp0ivv4Cs0RwyWM1YilqHDMXWvnwxCH-Xwh3PCezteHdg_5TRBGmGX-tnvvv4ze? startTime=1575556625000 **CONFERENCE PLUGFEST** • POC & Plugfest in End June 2020 - BRONZE Release of ORAN. WINLAB? A1/O1 ORAN & ONAP Joint Plugfest. Tracy Van Brakle Martin Skorupski Marci Haas • Panel Discussion - // Possibly planned for Feb 2020. **CONFERENCES** April 22-24 Open Network & Edge Summit (ONES) - Los Angeles - GuiLin R7 (Planning). • Request for PROPOSALS: LFN is organizing. Heather Kirksey. 2-3 days of ONES / then separate ONAP · LINK: https://events.linuxfoundation.org/open-networking-edge-summit-north-america/ Early June DDF - (GuiLin R7) Relea Requirement SubCommittee: Requirements subcommittee (is merged into ARCCOM) se 7 R7 requirements page: Guilin release - functional requirements proposed list Guilin Requir ements RunTi Joann Architecture S/C presentation for Run Time DB. e Liu Config Rudel **TOPIC** Wiki DB Benja ARCHITECTURE FLOWS ARCHCOM: InfoFlow - RunTime Config DB Information Flow min Cheung COMPONENT DESCRIPTION ARC RunTime DB Component Description - R6 Frankfurt PROJECT PROPOSAL RunTime Config DB Project Proposal (Oct 25 2019) Team is working to define the Proposal (see wiki). Then it will be presented at the Arch S/C and then TSC. Sync with Sandeep - will meet with Sandeep Fri 7 2020. Ted Johnson. Existing interface. For R6, will be part of CC-SDK. Met with Yuriy Malakov & Dan Timoney . CONFIGURATION PERSISTENCE SERVICE R6 not a separate component in R6. CMNotify - The DCAE, CMNotify VES event (proper) are pushed to R7 STEP 1 GENERATE: xNF (RAN Simulator) GENERATES a VES CMNotify - Wipro SON (R6) STEP 2 RECEIVES: DCAE VES Collector RECEIVES the CMNotify - Nokia (R7) STEP 3 DCAE: DCAE PROCESSES Event- Nokia (R7) STEP 4 DMaaP: DCAE PUBLISHES onto DMaaP - Nokia (R7) STEP 5 LISTEN: CCSDK (Controller) LISTENS to DMaaP - SandeepShah (R6) STEP 6 RTCfgDB: RTCfgDB UPDATES with info - SandeepShah / Techmahindra Devendra Chauhan (R6) Feb 3-7 Nokia has confirmed that Step 2/3/4 is in R7 due to VES review. Meeting setup with Sandeep - R7 planning. Need to make a presentation for Alla's call: ONAP Use Case / Requirements Teams Process Way of Working (WoW) R7 - Decide if we can to be a separate component. need to find a PTL lead. 14 Feb 2020 Automation tool integration. Schema details.

Netwo Borisla Update on slicing proposal. SO/Seshu presented. Slicing Glozm Multiple functional requirements/Use Cases. Recursive orchestration of nested services. Didn't want independent W/F for flows but try to leverage/reuse work. Presented the End to End U/C with macro-view for E2E slice. and components impacted. Right now R6 an Propo impact will be on SO, OOF, Policy, SDC and AAI. What controller will be used for managing slices? Focusing on design aspects and sal Shank instantiation and activation. Put up logical E2E slice. Target simple VNFs. Focus to create VNF vs reconfiguring a VNF? Slice ar PN segments are going to be both dedicated/shared. Started with discovering existing resources; assume segments created with VNF /PNFs in inventory & discoverable. Spinup new slice instances. Swami nathan 02 Jan 2020: Seeth araman (1) ROADMAP - Proceeding with detail, developments for roadmap beyond R6. (2) API - defining API in progress. LIN (3) **PoC** - Prototype of PoC from Orange focusing on VNF-portion. **MENG** (4) SO - Implementation in SO W/F and hierarchy using Svc ref concept to be discussed beyond R6. (5) ORCHESTRATION - documentation what will ONAP do wr.t. slice orchestration (6) MODELING - Discussing Modeling aspects, how to represent CSI, NSSI, NSSMF etc how to implement in SO how to communicate w/ external domain NSSMF. (7) VID - Discussion: Milind Jalwadi JSON based screens for VID, Is there a slicing GUI that could be re-used. o would want to upstream that NSST NSSD O Part of the Network Slicing Use Case. Presentation/slides at: NETWORK SLICING PoC in R6 Frankfurt (Obsolete) 13 Feb 2020 - Development is proceeding. Start R7 release in next couple of weeks. Next week there will be presentation on requirements for R7. R4 in 3GPP 28.541 - implemented as part properties of a service. didn't create separate TOSCA type for sliceprofile. Plan to introduce new serivce for serivce & slice profile properties in 3GPP those are recent doc updated in january. introduced many new properties from GSP. You've modeling team presentations were made, platform updated w/ network slicing. **ORAN** Vimal Trying to settle on scope of the Use Case. List of many possible contributions that will take more than one release to complete. /3GPP Impacts for items to be added to wiki (analysis). Begwa ONAP ni Harmo Prioritize the work items what we could propose to accomplish. Marge nizatio n U/C Hillis CM Notify as a new domain has been accepted on the DCAE S/C today Oct 24 2019. Dongho Kim will be creating the test/integration page. Dongh o Kim 21 Nov 2019 - A1 & O1 test integration pages have been added & links. DongHo Kim leading the Integration 02 Jan 2020 Sandeep code was merged w/ SDN-C branch. Current container has the latest code. Continuing to test. In AT&T lab now being tested Marge Hillis will setup a call to discuss possibly some gaps maybe move things to R7. Meetings w/ Dave Smith et al. trying to push through harmonization. Standards meeting in Nov. 2019. There was push back & negotiation between 3GPP & ONAP as to how to proceed. This is because it was first exercise, once we have a process in place it should go more smoothly. 3GPP specified some stuff and tried to over-specify into ONAP. Shortcoming in 3GPP current CMnotification only handles one MO if this was adopted. Working with 3GPP to correct. Waiting to see if 3GPP will accept the proposal. Working w/ standards for 3GPP FEB SA5 standards meeting. Harmonization U/C - Some things pushed out (Partial Green) at M2/M3 - O1 enhancements moved to G release hoping to harmonize (1) Fault & (2) Config change Notification (CMNotify) Thus CMNotify will be pushed to R7. Meetings to harmonize 3GPP standards. Waiting for Standards to be Harmonized. Intentionally descope something so that we don't cause churn. Don't want to implement something that would have to be re-implemented. Don't want to implement something that would have to be re-implemented. Trying to get VES SMEs engaged. But won't make R6 because of the timeframe. The VES Specs does need to be updated (see next point). Trying to align ORAN, ONAP & 3GPP aligned. ONAP 3GPP CONVERGENCE MEETING - 07 Feb 2020 - Dave Kinsey didn't agree option that was optimal wanted to discuss option he proposed. Wanted to bring in VES ppl to look at options. David Smith created & leading the meeting. Should invite Oskar Malm, Cormac Mullally, Mark Scott. Looking at options to populate the common header such that events w/ opaque payload can be fwded to correct DMAAP topic. to harmonize ONAP different standard standards defined things. CMNotify for PoC/Demo - R6, OOF-SON-PCI & the RunTime Config DB U/C needed the CMNotify, Sandeep Shah said they had a simulation of CMNotify for demo purposes. ACTION: INTEGRATION - Update from Dongho Kim for A1 interface: (Feb 13 2020) Dongho talked to Sandeep this week (Feb 13), he found a bug, and he is testing it. Was dev. done for A1 I/F? Phase 1 = A1 adapter (testing, bug found). For RTCDB has A1 policy schema. O1 I/F partial (to be completed in R7). May need more full-fledge use case. defining E2E use case. ACTION: Marge Hillis Vimal Begwani READTHEDOCS needed for Harmonization Use Case. See Page: https://docs.onap.org /en/dublin/submodules/integration.git/docs/docs_usecases.html

OOF SON PCI	N.K. Shank aranar ayanan	Some yang models for RAN on ORAN website due to licensing issues from Martin Skorupski took 3GPP model converted to files t					
WoW		MariaDB continue to use. Piotr, Marek, et al. If there are useful file wo/ IPR issues, should be a way to use interim files. Way of Working between Architecture, Modeling Subcommittee & Use Case Teams and what happens and touch-points at M0/M1					
w/ Model & Arch		/M2/M3. Process for Modeling WoW and development with Architecture & Modeling.					
& AIGH		Proposed ONAP Release Process Updates for Information and Data Modeling					
Use Case	5G U /C	Use Case Template - discuss updating the Use Case template & pages with some of these fields. Modeling team has said it would be useful for them to have the pre-condition & post-conditions, and information being passed (info-flows) documented.					
Templ ate	Team	Proposed Functional Template for Use Cases (driven from MEF/TM Forum) - showing interactions & information flows.					
	Mayer	Use Case Template					
	Scott Blandf	Filling out, describing and creating the Wiki for a Use Case					
	ord	Use Case Tracking Template and Use Case Template					
		Ben talked w/ Andy Mayer U/CR call Oct 23. He said he is preparing the page, and would present here at the 5G U/C S/C call.					
		REQUIREMENTS SUBCOMMITTEE - requirements sub-group / not bring use cases any more, refer to them as requirements. / proposed change talk less about architecture in requirements mtgs & reviews. more clear split between req & arch discussion. / Alla Goldberg changed U/C S/C to Requirements S/C. Security and ctl loop req will be discussed in those S/C; other things should go to Req S/C.					
		Monday - 03 Feb 2020 - what input for Req review; should not go into realization aspects should be moved out of req review. What type of info & how much info at M0. when just reviewing proposed req. Andy has said Proposed Functional Template for Use Cases this is ready to go live.					
, PM Dictio nary, 5G NRM	5G U /C teams	Chaker Al-Hakim - History Inventory resources associated w/ xNF. Assumptions: what are the resources that I need to inventory about a xNF so that I have a complete view of the VNF. parms added due to nature of VNF. resource inventory didn't have to do with provisioning data that the xNF can have. Should be evolved to reflect what we know today.					
PNF Pre- onboa rding/ onboa	PNF U /C teams						
rding	min Cheung						
PNF /	Zu	Reviewed with SO team.					
SW Upgra de	Qiang (Ericss on)	Preparing for DDF. will discuss with Change Management team, might be presenting. R6 in progress.					
5G/	Oskar	Preparing presentations at DDF in Prague in DDF for R6 BulkPM functionality in Jan 2020.					
Bulk PM	Malm	Demo in Dec 5, 2019 - R4 functionality. PM control part is green; the other bulk PM for certificate handling has dependency with					
		REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA.					
PNF / NetCo nf	Oskar Malm	Basic U/C unchanged, support for NetConf over TLS. What is being worked on in R6 is to have a improved functionality around certificate handling. When you have a TLS 1.x for authentication for ONAP so the NF when it connects to ONAP it is a valid xNF. Authenticate user cert ONAP needs to get the certs from somewhere - a centralized solution w/ AAF. and connect to ext. PKI via CMPv2. ONAP component minimum version TLS 1.2. Dependency to REQ-140					
PNF /	Benja	held meeting for discussing Civic Address elements & Geolocation information w/ the modeling S/C					
Plug and	min Cheung	PnP - PNFD/SDC AID/AAI Schema Modeling - Discussion Jan 2, 2020					
Play		Eventually will the PNFregistration VES event for PnP (R7).					
		SO presentations related to Building block definitions. Dependency to REQ-140. Option #2 new arch. is agreed. Option #1 continue w/ old.					

R6	All in 5G U /C	TSC Release Page.				
Use Case		Frankfurt Release Requirements				
VS Requir ements		WHAT IS A USE CASE VS A REQUIREMENT? In the REQUIREMENTS Table of the R6 Release Requirements Wiki (above) the Use Case requirements as discussed on the TSC call for Sept 12, and David McBride has asked that we have requirements (jiras) on separate rows. Further follow-up discussions will be had for "what is a use case" and if some of the 5G use cases should be moved up to the first table.				
5G	Benja min Cheung	WIKI: 5G RAN SERVICE MODELING & DEFINITION in R6 Frankfurt				
Servic e		CDS Data dictionary - Define attribute, in that entry tells you how to get that value. Yuriy Malakov				
Modeli ng U /C		If you needed the IP@ you can go that entry points to the REST call. Used for instantiation and configuration management. Model driven ONAP. Modeling Concepts				
		3GPP TS28.541/TS28.540 - 5G NRM Network Resource Model analysis (spreadsheet). Looking parameters introduce				
		Classify parameters - CDS Data Dictionary, A&AI, RunTime Cfg DB.				
		Presentations - Modeling S/C, U/C S/C, U/C Realization, 5G U/C.				
		Modeling S/C - Experimental info model introduced (standards driven)				
		A&AI - classification of A&AI parameters. Commission (might need at installation & commissioning) A&AI.				
		Onboarding - Onboarding, PNF PNFregistration, CMNotify (VES events), Pre-defined "load 3GPP model"				
		Information Flows - Where these might be used.				
		ORAN Standards - Usage of the 3GPP TS28.541 in ORAN Standards. Might want to consider which 3GPP parameters ORAN cares about & when. They might an opinion of when to incorporate parameters.				
		Presentation at Use Case Realization call 29 Jan 2020				
		Use Case Realization Call: January 29, 2020 - next step to present to Modeling S/C.				
CMPv		, , ,				
	Pawel	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now.				
2 Securi	Pawel Banie wski	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S				
2 Securi ty (AAF	Banie wski Hamp	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S W. CMPv2 protocol.				
2 Securi ty	Banie wski	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. ✓ REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S /W. CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now.				
2 Securi ty (AAF enhan	Banie wski Hamp us	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S W. CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP)				
Securi ty (AAF enhan cemen	Banie wski Hamp us	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S // CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-				
Securi ty (AAF enhan cemen	Banie wski Hamp us	 M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S // CMPv2 protocol. REPO Avail - Nokia has created a repo, discussing architecture now. Access - Confirmed, we can access the Repo. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-posted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external 				
Securi ty (AAF enhan cemen	Banie wski Hamp us	 M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. ✓ REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S / W. CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-posted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. 				
2 Securi ty (AAF enhan cemen	Banie wski Hamp us	 M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S // CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-posted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CMPv2 w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to Ext. CA. ONAP gets matching trust anchors from same Ext. CA, loaded to an ONAP component. CertSvc bought back dist. 				
Securi ty (AAF enhan cemen	Banie wski Hamp us	 M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S // CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-posted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CMPv2 w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to 				
Securi ty (AAF enhan cemen	Banie wski Hamp us	 M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S / CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-posted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CMPv2 w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to Ext. CA. ONAP gets matching trust anchors from same Ext. CA, loaded to an ONAP component. CertSvc bought back dist. within ONAP volume where cert is stored & consumed by ONAP component. 3GPP requires/originated. Consumes maximum of 				
Securi ty (AAF enhan cemen	Banie wski Hamp us	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. ☐ REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. ☐ DONE have committers now. AAF S W. CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-posted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CMPv2 w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to Ext. CA. ONAP gets matching trust anchors from same Ext. CA, loaded to an ONAP component. CertSvc bought back dist. within ONAP volume where cert is stored & consumed by ONAP component. 3GPP requires/originated. Consumes maximum of what 3GPP has. 5. Slides - ☐ ONAPARC-553 - AAF impacts for CMPV2 feature in REL F / Content CLOSED 6. Integration - Separate integration efforts. 140 is the common part in AAF, including client component that can be reused, there				
Securi ty (AAF enhan cemen	Banie wski Hamp us	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. ■ REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S W. CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be post-posted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CMPv2 w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to Ext. CA. ONAP gets matching trust anchors from same Ext. CA, loaded to an ONAP component. CertSvc bought back dist. within ONAP volume where cert is stored & consumed by ONAP component. 3GPP requires/originated. Consumes maximum of what 3GPP has. 5. Slides ■ ONAPARC-553 - AAF impacts for CMPV2 feature in REL F / Content CLOSED 6. Integration - Separate integration efforts. 140 is the common part in AAF, including client component that can be reused, there is integration work which have separate requirements. This creates a dependency on those other requirements, being delivered with enough time to do integration.				
Securi ty (AAF enhan cemen	Banie wski Hamp us	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S W. CMPv2 protocol. REPO Avail - Nokia has created a repo, discussing architecture now. Access - Confirmed, we can access the Repo. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be postposted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP w/ external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CMPv2 w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to Ext. CA. ONAP gets matching trust anchors from same Ext. CA, loaded to an ONAP component. CertSvc bought back dist. within ONAP volume where cert is stored & consumed by ONAP component. 3GPP requires/originated. Consumes maximum of what 3GPP has. Slides - ONAPARC-553 - AAF impacts for CMPV2 feature in REL F / Content CLOSED Integration - Separate integration efforts. 140 is the common part in AAF, including client component that can be reused, there is integration work which have separate requirements. This creates a dependency on those other requirements, being delivered with enough time to do integration. Plug and Play, Bulk PM, NetConf - CMPv2 PnP got descoped, secure Bulk PM is descoped, NetConf is proceeding see: Frankf urt Release Requirements				
Securi ty (AAF enhan cemen	Banie wski Hamp us	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-440 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S /W. CMPv2 protocol. REPO Avail - Nokia has created a repo, discussing architecture now. Access - Confirmed, we can access the Repo. Deliveries - Nokia planning to deliver the *CertService* (accept request from client), *CertService Client* (init container w/ ONAP apps), and integration with external CMP v2 service. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be postposted to R7. High Risk The ONAP "bordering" components. *Consequences - in scenario where you int ONAP w/ external function won't be able to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to Ext. CA. ONAP gets matching trust anchors from same Ext. CA, loaded to an ONAP component. CertSvc bought back dist. within ONAP volume where cert is stored & consumed by ONAP component. 3GPP requires/originated. Consumes maximum of what 3GPP has. Sides - ONAPARC 553 - AAF impacts for CMPV2 feature in REL F / Content CLOSED Integration - Separate integration efforts. 140 is the common part in AAF, including client component that can be reused, there is integration work which have separate requirements. This creates a dependency on those other requirements, being delivered with enough time to do integration. Plug and Play, Bulk PM, NetConf - CMPv2 PnP got descoped, secure Bulk PM is descoped, NetConf is proceeding see: Frankf				
Securi ty (AAF enhan cemen	Banie wski Hamp us	M2/M3 CMPv2 & AAF status - CMPv2 GREEN at M2/M3 right now. REQ-140 - Create Client, Plugin using Client and mechanisms for using CMPv2 as a CA. DONE have committers now. AAF S M. CMPv2 protocol. 1. REPO Avail - Nokia has created a repo, discussing architecture now. 2. Access - Confirmed, we can access the Repo. 3. Deliveries - Nokia planning to deliver the CertService (accept request from client), CertService Client (init container w/ ONAP apps), and integration with external CMP v2 service. 4. Integration to Border Components - Integration with ONAP modules, DCAE/VES, SDNC, DCAE/DFC very likely to be postposted to R7. High Risk The ONAP "bordering" components. Consequences - in scenario where you int ONAP we external function won't be able to dist cert generated in external Cert. Authority (CA) within ONAP; thus would still be able to integrate a NF to ONAP but would need to distribute manually bring the certs to ONAP. The Automation of distribution would be missing. The NFs contact the CAs to get certs. Integrate ONAP w/ CMPv2 w/ CertSvc to same Ext. CA. Integrate the xNF gets the cert to Ext. CA. ONAP gets matching trust anchors from same Ext. CA, loaded to an ONAP component. CertSvc bought back dist. within ONAP volume where cert is stored & consumed by ONAP component. 3GPP requires/originated. Consumes maximum of what 3GPP has. 5. Slides - ONAPARC-553 - AAF impacts for CMPv2 feature in REL F / Content CLOSED 6. Integration - Separate integration efforts. 140 is the common part in AAF, including client component that can be reused, there is integration work which have separate requirements. This creates a dependency on those other requirements, being delivered with enough time to do integration. 7. Plug and Play, Bulk PM, NetConf - CMPv2 PnP got descoped, secure Bulk PM is descoped, NetConf is proceeding see: Frankf urt Release Requirements. 8. REQ-76 - If we manage to complete the integration into SDN-C (REQ-76) additional integration related to that.				

SUPPORTING SLIDES

Document	File
Presentation	

RECORDING

Recording	File
MP4 (Video + Audio)	zoom_0.mp4
Audio Only	audio_only.m4a
M3U, Chat	playback.m3u