

OOM NodePort List

Please fill in the protocol (http/https/ws... to determine if it will cross the ingress port) and the reason for the port being open (hybrid deployment needs access?, external access client (kibana/gui...)) in the table below in prep of removing some nodeports in the run up to using an Ingress controller

Sync with [Casablanca Unprotected Interfaces](#)

TODO: add protocol to each port - to determine suitability for HTTP/HTTPS or multi-protocol proxy for ingress

NodePorts are used to allow client applications, that run outside of Kubernetes, access to ONAP components deployed by OOM.

A NodePort maps an externally reachable port to an internal port of an ONAP microservice.

It should be noted that the use of NodePorts is temporary. An alternative solution is currently being scoped for the Dublin Release.

But for now, this page is used to track NodePort assignments.

All ONAP project teams that have microservices that need to provide **external access** for clients, must update this wiki page to reserve NodePorts and prevent ONAP deployment failures due to NodePort conflicts.

If a service is only accessed by other services within the same kubernetes deployment (ie. databases, backend services with no external northbound APIs) then please **DO NOT** reserve

a NodePort as they are a very limited resource. The service name and its Internal Port (<service name>.port) should be used instead (ie. vid.8443)

To reserve a NodePort search the table below for the text "**FREE_PORT**".

If it is determined that an existing reservation is no longer required, please add the text "**FREE_PORT**" to indicate its availability.

Developer Checklist

Verify unused nodeports

Before using a particular nodeport - verify there is no conflict by deploying the entire system and checking services or the tables below.

Get the nodeport of a particular service

```
# human readable list
kubectl get services --all-namespaces | grep robot
# machine readable number
kubectl get --namespace onap -o jsonpath="{.spec.ports[0].nodePort}" services robot)
```

Node Port Reservations 302 prefix

Component (sortable)	Pod	Service name	Protocol http /https /ws...	Node Port	Internal Port	Reason for exposure outside of the internal DNS service name access
vid		vid		30200	8443	
FREE_PORT				30201	8843	
sdnc / ccsdk		ccsdk/oran/a1-policy-management-service	http https	30093 30094	9080 9081	Used to access A1 Policy Management service API - used in different ONAP & OSC deployments - including external rApp/client/portal access See ONAP/3GPP & ORAN Alignment: A1 Adapter extensions (Guilin)
sdnc		sdnc		30202	8282	http port, removed in El Alto. Instead, users should use https node port 30267
sdnc		sdnc-dgbuilder		30203	3000	

sdcc		sdcc-be		30204	8443	
sdcc		sdcc-be		30205	8080	
sdcc		sdcc-fe		30206	8181	
sdcc		sdcc-fe		30207	9443	
appc		appc		30208	8282	removed in Frankfurt
robot		robot		30209	88	u:p test:test
aai		aai-modelloader		30210	8080	
appc		appc		30211	9090	
portal		portal-sdk		30212	8443	
portal		portal-app		30225	8443	
policy		policy brmsgw		30216	9989	
policy		drools (dup?)		30217	6969	
policy		pap		30218	9091	
policy		pap		30219	8443	
aai		aai-sparky-be		30220	9517	
policy		drools (dup?)		30221	9696	
dcae	DCAE GEN2	hv-ves xdcae-hv-ves-collector		30222	6061	
dcae		DCAE GEN2		30223		Reserved for future DCAEapp (12/30 - dcae-datafile-collector usage on this port is removed since EI-Alto)
so		so-monitor		30224	9091	
portal		portal-app (ssl)		30225	8443	https://gerrit.onap.org/r/#/c/69859/ ☒ OOM-1455 - new node port for Portal's HTTPS port CLOSED
dmaap		message-router		30226	3905	
dmaap		message-router		30227	3904	
appc		appc-dgbuilder		30228	3000	CAUTION2: There might be blanks in following data.
aai		aai-modelloader		30229	8443	CAUTION2: There might be blanks in following data.
appc		appc		30230	8443	
appc		appc		30231	1830	
aai		aai		30232	8080	
aai		aai		30233	8443	
pomba		pomba-kibana	https	30234	5601	
dcae		xdcae-ves-collector		30235	8080	
policy		nexus		30236	8081	
policy		policy-apex-pdp		30237	12345	
aai		aai-graphgraph		30238	8453	 AAI-2596 - AAI graphgraph causing port conflict CLOSED
aai		aai-spike		30239	9518	
pomba		pomba-context-builder		30240	9530	
dmaap		dmaap-bc		30241	8080	
dmaap		dmaap-bc		30242	8443	
aaf		aaf-sms		30243	10443	
aaf		aaf-sms-db		30244	8200	CAUTION2: There might be blanks in following data.
sdnc		sdnc		30246	8280	Appears to be no longer needed - investigating
dcae		dcae datafile collector		30245	8100	
aaf		aaf-service		30247	8100	

oof		oof-osdf		30248	8698	
pomba		pomba-data-router		30249	9502	
appc		appc-cds		30250	80	
aaf		aaf-gui		30251	8200	
so		so-mariadb		30252	3306	
log		log-kibana	http	30253	5601	external access from client application
log		log-es	http	30254	9200	external ELK stack for hybrid deployment
log		log-ls	http	30255	5044	external ELK stack for hybrid deployment
sdsc		sdsc-wfd-fe		30256	8080	
sdsc		sdsc-wfd-be		30257	8080	
policy		clamp		30258	2443	
dmaap		dmaap-dr-prov	http	30259	8080	external access for multi-site/cluster comms
cli		cli		30260	8080	
multicloud		multicloud-azure		30261	9008	https://gerrit.onap.org/r/#/c/68647/
dcae		dcae datafile collector		30262	8433	
sdsc		sdsc-dcae-fe		30263	8183	
sdsc		sdsc-dcae-fe		30264	9444	
sdsc		sdsc-dcae-dt		30265	8186	
sdsc		sdsc-dcae-dt		30266	9446	
sdnc		sdnc		30267	8443	https port, used for access to OpenDaylight REST interface
aai		aai-crud-service (gizmo)		30268	9520	
dmaap		dmaap-dr-prov	https	30269	8443	external access for multi-site/cluster comms
consul		consul-server-ui		30270	8500	
cli		cli		30271	9090	
sdnc		SDNC GEO (mysql)		30272		
sdnc		SDNC GEO (mysql)		30273		
nbi		nbi		30274	8443	
oof		oof-has-api		30275	8091	
oof		oof-has-music		30276	8080	
so		so		30277	8080	see also https://gerrit.onap.org/r/#/c/72433/2
aai		aai-champ		30278	9522	
aai		aai-babel		30279	9516	
msb		msb-iag		30280	80	
msb		msb-discovery		30281	10081	
msb		msb-eag		30282	80	
msb		msb-iag		30283	443	
msb		msb-eag		30284	443	
msb		msb-consul		30285	8500	
dcae		dcae-redis		30286	6379	
dcae		dcae-redis		30287	16379	
sniro		sniro-emulator		30288	80	pnda has a conflict here -  DGAEGEN2-1012 - PND A Nodeport 30288 conflict with sniro-emulator - should be 30400 CLOSED
appc		appc-cdt		30289	18080	
clamp		cdash-kibana		30290	5601	
multicloud		multicloud		30291	9001	No more such nodePort for multicloud

holmes		holmes-rule-mgmt		30292		
holmes		holmes-rule-mgmt		30293		
multicloud		multicloud-windriver		30294	9005	No more such nodePort for multicloud
clamp		clamp		30295	8080	
multicloud		multicloud-pike		30296	9007	No more such nodePort for multicloud
vnfsdk		refrepo		30297	8702	
log		LOG demo target		30298	8080	taken from UII - they are using the 303 prefix  OOM-1531 - NodePort Adjustments CLOSED
pomba		pomba-networkdiscovery	REST	30299	8080	taken from UII - they are using the 303 prefix  SDNC-533 - Netork Discovery - VM Info CLOSED https://gerrit.onap.org/r/#/c/73980/2
vvp		vvp		?	?	 VVP-128 - VVP-EXT-HAPROXY node port is not fixed - was 30229 - then 30298 (taken from log - no more conflict) CLOSED
uui		uui		30398	8080	may be a typo with 30298 - currently using 398 as of 20181125
uui		uui-server		30399	8082	 OOM-1531 - NodePort Adjustments CLOSED may be a typo with 30298 - currently using 399 as of 20181125
		There		is	Room above:	There is ROOM Above 31100
modeling		modeling-etsicatalog		30301	8806	
music		music-api		30304	8443	music-api
		IF POSSIBLE		Leave	31104-31109	open
aaf		aaf-service	https/REST (json xml)	31110	8100	AAF Main Service
aaf		aaf-locator	https/REST (json xml)	31111	8095	AAF Locator
aaf		aaf-oauth	https/REST (json xml)	31112	8140	AAF OAuth2 access
aaf		aaf-gui	https/REST (json xml)	31113	8200	AAF GUI
aaf		aaf-cm	https/REST (json xml)	31114	8150	AAF Certificate Manager
aaf		aaf-fs	http (Note: Fileserver for CRLs, etc)	31115	8096	AAF File Server
aaf		aaf	HOLD for Future	31116 31117 31118		Future AAF Services
aaf		aaf-hello	https/REST (json xml)	31119	8130	AAF Hello Sample
appc		appc	HOLD for Future	31200 31201 31202 31203		
oof		optf-model-api	https/REST (json)	31204	8698	optf model, execution engine.
cps		cps	https/REST (json)	31205	8080	CPS RESTService Only from Honolulu Release

cps-xNf		cps-xNf	https/REST (json)	31206	8080	CPS xNF RESTService Only from Honolulu Release
---------	--	---------	-------------------	-------	------	--

Node Port Reservations (304 node port prefix range)

This table is for documenting node ports that are reserved outside of a typical ONAP deployment.

Even though the ports listed below may appear in ONAP Helm Charts, they are not used at runtime unless enabled through configuration.

For example, there may be a need to reserve node ports (even temporarily) for use in POC or for demo code, that currently exists in the ONAP codebase.

Component (sortable)	POD	Service name	Protocol (rest /multi-protocol)	Node Port	Internal Port		
dcae		dcae-pnda-mirror (node the bootstrap pod np is named mirror)		30400	80	A PNDa deployment (outside the Kubernetes cluster) needs to download its components from the PNDa mirror (inside the Kubernetes cluster)	
						 DCAEGEN2-1012 - PNDa Nodeport 30288 conflict with sniro-emulator - should be 30400 CLOSED	
vfc		vfc-nslcm		30403	8403	vfc-nslcm-port	
vfc		vfc-vnflcm		30411	8801	vfc-vnflcm-port	
vfc		vfc-generic-vnfm-driver		30480	8484	vfc-generic-vnfm-driver	
vfc		vfc-redis		30481	8804	vfc-redis-http-port1	
vfc		vfc-redis		30482	6379	vfc-redis-http-port2	
vfc		vfc-db		30483	3306	vfc-db-port	
so		so-bpmn-infra		30404	8081	so-bpmn-port	
so		so-bpmn-infra		30405	5005	so-bpmn-debug	
so		so-vnfm-adapter		30406	9092		
dcae	DCAEGEN2	xdcae-tca-analytics		30410	11011	switch from 32010	
						 DCAEGEN2-998 - Change xdcae-tca-analytics nodeport from 32010 to 30410 CLOSED	
dcae		DCAEGEN2		30413	8100	DCAE BBE-ep	
dcae		DCAEGEN2		30414	10443	DCAE Config Binding Service (https)	
dcae		DCAEGEN2		30415	10000	DCAE Config Binding Service (http)	
dcae		DCAEGEN2		30416	8080/8687	DCAE RESTConf collector Service	
dcae		DCAEGEN2		30417	8443	DCAE VESCollector - Https	
dcae		DCAEGEN2		30418	8080	DCAE Dashboard (http)	
dcae		DCAEGEN2		30419	8443	DCAE Dashboard (https)	
?		Netbox UI		30420	8080		
sdsc		sdsc-wfd-fe		30431	8443	https://gerrit.onap.org/t/#/c/87116/	
policy		policy-api		30440	6969	https://gerrit.onap.org/t/#/c/79318/	
policy		policy-xacml-pdp		30441	6969	https://gerrit.onap.org/t/#/c/81977/	
policy		policy-pap		30442	6969		
log		log-demonode0		30453	8080		
log		log-demonode1		30454	8080		
log		log-demonode2		30455	8080		
log		log-es SSL		30456	20181016		
						 LOG-748 - oom nodeport reservations for ELK SSL ports CLOSED	

log		log-kb SSL		30457	20181016		
					☒ LOG-748 - oom nodeport reservations for ELK SSL ports CLOSED		
log		log-ls SSL		30458	20181016		
					☒ LOG-748 - oom nodeport reservations for ELK SSL ports CLOSED		
sdnc		SDNC GEO		30461			
sdnc		SDNC GEO		30462			
sdnc		SDNC GEO		30463			
sdnc		SDNC GEO		30464			
sdnc		SDNC GEO		30465			
sdnc		SDNC GEO		30466			
dcae		DCAEGEN2		30470	162	Snmpttrap (test purpose)	
dcae		DCAEGEN2		30471		Reserved	
dcae		DCAEGEN2		30472		Reserved	
dcae		DCAEGEN2		30473	8080	DCAE MOD UI (HTTP) for Frankfurt release	
dcae		DCAEGEN2		30474	8443	Reserved for DCAE MOD UI (HTTPs) post Frankfurt release	
dcae		MUSIC		30475			
dcae		MUSIC		30476	8080		
dcae		MUSIC		30477			
dcae		Datalake-admin-ui		30479	80	Datalake configuration protal.	
dcae		Datalake-feeder		30408	1680	Datalake control and exposure APIs.	
multicloud		multicloud-starlingx		30485	9009		
multicloud		multicloud-thinkcloud		30486	9010		
multicloud		multicloud-fcaps		30487	9011		
multicloud		multicloud-artifactbroker		30488	9014		
multicloud		multicloud-tentative		30489			
multicloud		multicloud-k8s		30498	9015		
dmaap		DMaap tentative		30490		https://lists.onap.org/g/onap-discuss/topic/new_nodeports_for_the_dmaap/29582628?p=,,,20,0,0,0::recentpostdate%2Fsticky,,,20,2,0,29582628	
dmaap		DMaap tentative		30491			
dmaap		DMaap tentative		30492			
dmaap		dmaap-dr-node	http	30493	8080	external access for multi-site/cluster comms	
dmaap		dmaap-dr-node	https	30494	8443	external access for multi-site/cluster comms	
multicloud		multicloud-service-assurance		30495	9009	Only from Dublin Release	
multicloud		multicloud-service-assurance (tentative)		30496	9010	Only from Dublin Release	
cds		cds-ui		30497	3000	Dublin onwards.	
cds		blueprint-processor		30499	8080	Dublin onwards.	
awx		awx-web		30478	80	Dublin onwards.	

This port does not seem to be configurable from a Helm Chart.

Mike Elliott will raise issue to see if it can be made configurable within either the 302 or 304 ranges.

Service name	Node Port	Internal Port
xdcae-tca-analytics	32010 use 30410	11011 ☒ DCAEGEN2-998 - Change xdcae-tca-analytics nodeport from 32010 to 30410 CLOSED